



RICEZIONE DAB A ROMA CON RTL2832 SLIDESHOW


The screenshot displays a DAB receiver interface with the following elements:


- Top Bar:** Includes a dropdown menu set to 'Rai isoradio+', buttons for 'Senderspeicher...', 'Suchlauf...', a red stop button, and a close button 'X'.
- Technical Data Table:**

128	I		STEREO	HE-AAC v1	64 kbit/s	EEP 2-A
DAB+		Signal: OK	Rai isoradio+			
		SNR: 28,3dB				
225,648 MHz		DAB+ RAI	Samstag, 24. Mai 2014, 09:56			
- Text Area:** Contains a traffic report starting with 'SS481:Oriolo riduzione di carreggiata ad una corsia, probabile traffico rallentato, frane ...S.S.Giovanni Sud probabile problema di traffico, inizio previsto entro la prossima ora T02:In mezzo area di servizio Carugate e punto di allacciamento Sv. Cologno Monzese:...'.
- Dynamic Label:** A large blue box with the text 'Kein DynamicLabel+ verfügbar.'.
- Bottom Bar:** Features a 'SlideShow starten' button, a speaker icon, and a volume slider ranging from 0% to 100%.
- Slideshow Window:** A separate window titled 'Slideshow' showing a map of Italy with speed limit zones:
 - 130 km/h AUTOSTRADE**
 - 110 km/h EXTRAURBANE**
 - 90 km/h EXTRAURBANE secondarie**
 - 50 km/h CENTRI URBANI**The window title bar shows the file path: 'Data/crit/isoradio/8ad50e97-faf9-4d84-93ca-11f4d56857ef.j...'.









leggi articolo sotto. Pino IK0ZRR